

Probe type	Serial No	Samples	Date Fmt	Cal date	High alarm	Low alarm	Units	D.P.	Interval (sec)
PTPP	S0619001	43	M/d/yyyy	5/17/2006	176	131	°F	2	1

Sample #	Date	Time	Temp	Alarm
0	4/27/2007	8:52:57	77.18	Low
1	4/27/2007	8:52:58	77.18	Low
2	4/27/2007	8:52:59	77.18	Low
3	4/27/2007	8:53:00	77.18	Low
4	4/27/2007	8:53:01	77.18	Low
5	4/27/2007	8:53:02	77.18	Low
6	4/27/2007	8:53:03	77.18	Low
7	4/27/2007	8:53:04	77.18	Low
8	4/27/2007	8:53:05	77.18	Low
9	4/27/2007	8:53:06	77.18	Low
10	4/27/2007	8:53:07	77.18	Low
11	4/27/2007	8:53:08	77.18	Low
12	4/27/2007	8:53:09	77.18	Low
13	4/27/2007	8:53:10	77.18	Low
14	4/27/2007	8:53:11	77.37	Low
15	4/27/2007	8:53:12	79.75	Low
16	4/27/2007	8:53:13	82.65	Low
17	4/27/2007	8:53:14	84.95	Low
18	4/27/2007	8:53:15	86.66	Low
19	4/27/2007	8:53:16	87.92	Low
20	4/27/2007	8:53:17	88.91	Low
21	4/27/2007	8:53:18	89.65	Low
22	4/27/2007	8:53:19	89.9	Low
23	4/27/2007	8:53:20	89.85	Low
24	4/27/2007	8:53:21	89.6	Low
25	4/27/2007	8:53:22	89.27	Low
26	4/27/2007	8:53:23	88.95	Low
27	4/27/2007	8:53:24	88.55	Low
28	4/27/2007	8:53:25	88.21	Low
29	4/27/2007	8:53:26	87.89	Low
30	4/27/2007	8:53:27	87.56	Low
31	4/27/2007	8:53:28	87.24	Low
32	4/27/2007	8:53:29	86.91	Low
33	4/27/2007	8:53:30	86.57	Low
34	4/27/2007	8:53:31	86.34	Low
35	4/27/2007	8:53:32	86.09	Low
36	4/27/2007	8:53:33	85.83	Low
37	4/27/2007	8:53:34	85.56	Low
38	4/27/2007	8:53:35	85.35	Low
39	4/27/2007	8:53:36	85.11	Low
40	4/27/2007	8:53:37	84.9	Low
41	4/27/2007	8:53:38	84.66	Low
42	4/27/2007	8:53:39	84.5	Low

Note:

Check: EEFEBAEC305AFADF