



ThermoWorks

Thermapen[®] Mk4



Waterproof to IP67

Increased water resistance. Now waterproof.

Intelligent Backlight

Automatically activates backlight in low light conditions or turns on any time with touch of sensor window.

Personalization

Inside the battery compartment you can lock the display position, disable sleep mode, set °C or °F, 1° or 1.0° resolution.

Longer Battery Life

Up to 3,000 hours. More common AAA battery.



Patented Auto-Rotating Display

Auto-Rotating display intuitively flips right side up in either hand, any position.

Motion-Sensing Sleep & Wake Mode

Always on during use, sleeps when set down. Wakes when picked up.

Still Super-Fast[®] and Accurate

Same speed and performance, and still NO buttons!



| | |
|-------------------------|--|
| Range | -58.0 to 572.0°F (-49.9 to 299.9°C) |
| Accuracy | ±0.7°F (±0.4°C) from -58 to 392°F (-49.9 to 199.9°C) otherwise ±1.8°F (±1.0°C) |
| Response Time | 3 seconds (reads to within 1°F of final temperature of an ice bath in 3 seconds) |
| Resolution | Factory set to 1° (user reconfigurable to 0.1°) |
| Units | °C/°F switchable (user reconfigurable) |
| Probe | 4.3 L inches, High Performance Type K Thermocouple |
| Battery | 1.5 volt AAA, 3,000 hours typical (without backlight) |
| Sleep Mode | 10 to 180 seconds, user selectable (user reconfigurable to disable) |
| Water Resistance | IP 66/67 |
| Display | 1 H x 1.54 W inches (25 H x 39 W mm) LCD, rotates 360°, Intelligent Backlight |
| Calibration | Includes NIST-Traceable calibration certificate |